



Fédération
Aéronautique
Internationale

FAI Sporting Code

Section 12 – Unmanned Aerial Vehicles UAV

Class U

2001-2016 Edition

Approved by the FAI Air Sport General Commission (CASI)
To take effect on 1st January ~~2001~~2016

Maison du Sport International
Av. de Rhodanie 54
CH-1007 Lausanne
Switzerland
Tél. +41 (0)21 345 10 70
Fax +41 (0)21 345 10 77
E-mail: info@fai.org
Web: www.fai.org

Section 12 and General Section combined make up
the complete Sporting Code for UAV

FEDERATION AERONAUTIQUE INTERNATIONALE

MSI - Avenue de Rhodanie 54 – CH-1007 Lausanne – Switzerland

Copyright 2014

All rights reserved. Copyright in this document is owned by the Fédération Aéronautique Internationale (FAI). Any person acting on behalf of the FAI or one of its Members is hereby authorised to copy, print, and distribute this document, subject to the following conditions:

- 1. The document may be used for information only and may not be exploited for commercial purposes.**
- 2. Any copy of this document or portion thereof must include this copyright notice.**

Note that any product, process or technology described in the document may be the subject of other Intellectual Property rights reserved by the Fédération Aéronautique Internationale or other entities and is not licensed hereunder.

RIGHTS TO FAI INTERNATIONAL SPORTING EVENTS

All international sporting events organised wholly or partly under the rules of the Fédération Aéronautique Internationale (FAI) Sporting Code¹ are termed *FAI International Sporting Events*². Under the FAI Statutes³, FAI owns and controls all rights relating to FAI International Sporting Events. FAI Members⁴ shall, within their national territories⁵, enforce FAI ownership of FAI International Sporting Events and require them to be registered in the FAI Sporting Calendar⁶.

Permission and authority to exploit any rights to any commercial activity at such events, including but not limited to advertising at or for such events, use of the event name or logo for merchandising purposes and use of any sound and/or image, whether recorded electronically or otherwise or transmitted in real time, must be sought by way of prior agreement with FAI. This includes specifically all rights to the use of any material, electronic or other, that forms part of any method or system for judging, scoring, performance evaluation or information utilised in any FAI International Sporting Event⁷.

Each FAI Air Sport Commission⁸ is authorised to negotiate prior agreements on behalf of FAI with FAI Members or other entities as appropriate, of the transfer of all or parts of the rights to any FAI International Sporting Event (except World Air Games events⁹) which is organised wholly or partly under the Sporting Code section¹⁰ for which that Commission is responsible¹¹. Any such transfer of rights shall be by "Organiser Agreement"¹² as specified in the current FAI Bylaws Chapter 1, para 1.2 "Rules for Transfer of Rights to FAI International Sporting Events".

Any person or legal entity which accepts the responsibility for organising an FAI Sporting Event, whether or not by written agreement, in doing so also accepts the proprietary rights of FAI as stated above. Where no formal transfer of rights has been established, FAI retains all rights to the event. Regardless of any agreement or transfer of rights, FAI shall have, free of charge for its own archival and/or promotional use, full access to any sound and/or visual images of any FAI Sporting Event, and always reserves itself the right to have any and all parts of any event recorded, filmed and/or photographed for such use, without charge.

¹ FAI Statutes, Chapter 1, para. 1.6

² FAI Sporting Code, General Section, Chapter 3, para 3.1.3

³ FAI Statutes, Chapter 1, para 1.8.1

⁴ FAI Statutes, Chapter 2, para 2.1.1; 2.4.2; 2.5.2 and 2.7.2

⁵ FAI Bylaws, Chapter 1, para 1.2.1

⁶ FAI Statutes, Chapter 2, para 2.4.2.2.5

⁷ FAI Bylaws, Chapter 1, para 1.2.3

⁸ FAI Statutes, Chapter 5, para 5.1.1; 5.5 and 5.6

⁹ FAI Sporting Code, General Section, Chapter 3, para 3.1.7

¹⁰ FAI Sporting Code, General Section, Chapter 1, paras 1.2. and 1.4

¹¹ FAI Statutes, Chapter 5, para 5.6.3

¹² FAI Bylaws, Chapter 1, para 1.2.2

SECTION 12

2001-2016 EDITION

AMENDMENT RECORD

Formal amendments are published by the FAI secretariat, acting for the Commission d'Aéronautique Sportive Internationale (CASI). Within Nations, the National Airsport Control (NAC) organisation is then responsible for distributing amendments to all holders of the Sporting Code Section 12 and for informing Officials, Judges and Official Observers and other interested parties of relevant changes.

When holders of this Sporting Code have incorporated an amendment in the main text, they should insert a copy of the amendment instructions before the page index, so that at a later date, the subjects of the amendment may easily be identified.

Amend No.	ACTION DATE OF AMENDMENT	AMENDED BY (Signature)	NAME	DATE AMENDED
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

TABLE OF CONTENTS

	<u>Page</u>
Amendment Record	i
Table of Contents	ii
Chapter 1 - DEFINITIONS	1
Chapter 2 - CLASSIFICATIONS.....	3
Chapter 3 – RECORDS IN CLASS U.....	4
Chapter 4 – RULES FOR WORLD RECORDS.....	5
Chapter 5 – SPECIAL RULES FOR WORLD RECORDS.....	6
Chapter 6 – RECORD FILE	8

CHAPTER 1

DEFINITIONS

1.1	General Definition
1.1.1	Unmanned Aerial Vehicle (UAV) - an aerodyne with a means of propulsion, that propulsion <u>that</u> does not carry a human, which is designed for scientific research, commercial, governmental, or military purposes.
1.1.1.1	A UAV is remotely controlled by a person or persons, or autonomously controlled by a hardware system and/or software system onboard the UAV, or both.
<u>1.1.2</u>	<u>Remotely Piloted Aircraft System (RPAS). RPAS is one of the subsets of Unmanned Aircraft Systems (UAS). RPAS are not intended to take over all tasks of manned aircraft but they are capable of flying closer to obstacles and are conducting operations that cannot be done by manned aircraft due to the safety risks or the excessive costs involved. In fact, the type of operations carried out by RPAS varies widely: they include environmental and fishery operations, disaster response, firefighting and many more.</u>
<u>1.1.2.1</u>	<u>Drone model aircraft: model aircraft equipped with on-board electronic devices (video camera, gyro sensors, altimeter, telemetry, GPS, ...) at ends of catch of sight with information feedback towards the operator(s) and/or for automatic flight control.</u>
<u>1.1.2.2</u>	<u>Self-guided drone: drone model aircraft equipped with a programmable autopilot system which can automatically stabilize the drone and/or initiate a programmed flight path. Such a drone is mission orientated and computer controlled nearly its entire flight, but it must be possible for the flight operator to deactivate at any moment the autopilot system.</u>
<u>1.1.2.3</u>	<u>First Person View (FPV): video view of the model aircraft's camera transmitted to a pilot headset goggle or to a screen on ground.</u>
<u>1.1.3</u>	<u>Visual line of sight (VLOS): the flight operator who assumes directly the control of the model aircraft must maintain direct unaided visual contact with the model aircraft</u>
<u>1.2</u>	<u>Definition of aeromodelling is that there is no commercial interest in the operation of the Drone/UAV/RPAS.</u>
<u>1.2.1</u>	<u>Aero modeler are not allowed to receive any kind of reimbursement of practicing flying UAV / drone.</u>
<u>1.3</u>	<u>This rules are walled for both commercial and recreational Records will be recognized for both categories in separate registers.</u>
1.2	Flight Definitions
1.2.1	Flight: An event that starts at takeoff and ends with a landing of a UAV.
1.2.2	Flight Performance: The achievement attained during free flight, the evidence for which is put forward to an NAC or FAI for validation.
1.2.3	Free Flight: That part of a flight in which a UAV is not towed, carried, or assisted by another aircraft or separate external or jettisonable power source.
1.2.4	Uncompleted Flight: A flight is deemed uncompleted if any of the following occurs:
1.2.4.1	a) The UAV's Flight Termination System (FTS) is activated before the UAV reaches the finish point;
1.2.4.2	b) any part of the UAV or its equipment is shed or jettisoned after reaching the start point and before reaching the finish point;
1.2.4.3	c) an accident occurs during the flight resulting in any damage which renders the UAV incapable of subsequent flights.
1.3	Types of Flights
1.3.1	Distance - A flight performance measured for distance over a course.
1.3.2	Speed - A fight performance timed and calculated for speed over the distance of a course.

- 1.3.3 Goal - A flight performance over a course declared in writing before takeoff. A goal flight may also be a Distance or a Speed flight, but a Distance or a Speed flight need not necessarily be a Goal flight.
- 1.3.4 Duration - A flight performance timed either from a start point to a finish point, or within a control area.
- 1.3.5 Altitude - A flight performance for vertical distance achieved (from mean sea level).

1.4	Course Definitions
------------	---------------------------

- | | |
|-------|---|
| 1.4.1 | Course - the distance between a start point and a finish point via any turn points or control points. Distance is the shortest distance on the Earth's surface between the two points concerned, measured in accordance with General Section paragraph 7.3.1.1. |
| 1.4.2 | Closed Circuit Course - a course in which the start and finish points are at the same place. |
| 1.4.3 | Out and Return Course - A closed circuit flight performance to a single turn point. |
| 1.4.4 | Lap - A single completed flight performance around a closed circuit course. |

1.5	Start of Flight
1.5.1	Start Point - The start of the flight performance for measurement purposes. Depending on the activity and type of flight concerned, the start point may be the takeoff point, the crossing of a start line, or the point of release.
1.5.2	Start Line - A gateway of a designated width and height, the base being specified on the surface of the Earth and being approximately at right angles to the first leg of the course.
1.5.3	Takeoff Point - The precise point at which all parts of a vehicle cease to be in contact with or connected to the ground or water.
1.5.4	Point of Release - The point vertically below a vehicle when it releases from a tow or another vehicle.
1.6	Turn and Control Points and Control Area
1.6.1	Turnpoint - a clearly defined feature on the surface which is precisely specified before takeoff.
1.6.2	Rounding the Turnpoint - A turn point is rounded when the entire UAV is observed to pass outside the vertical projection of the center of the turn point feature or pylon or when the entire UAV is proved to have entered a designated sector outside the angle made by the adjacent legs of the course.
1.6.3	Control Point - a point that a UAV is required to overfly or to land at during the flight along a course.
1.6.4	Control Area - a designated area in which a UAV remains for a duration flight.
1.6.5	Designated Sequence - The order in which the turn or control points shall be flown.
1.7	Finish of a Flight
1.7.1	Finish Point - The end of a flight performance for measurement purposes. Depending on the activity and type of flight concerned, the finish point may be the landing point or the crossing of a finish line.
1.7.2	Finish Line - A gateway of a designated width and height, the base being specified on the surface of the Earth and being approximately at right angles to the last leg of the course.
1.7.3	Landing Point - The precise point at which any part of a vehicle first touches the ground or water.
1.8	Other Definitions
1.8.1	Autonomous Control - Control of a UAV's attitude, altitude, airspeed, flight path, and navigation by means of a vehicle management system. The vehicle management system may be on-board or off-board. Mission management functions may be exercised by a human being acting as mission director by means of a communications link from a remote UAV control station.
1.8.2	Flight Termination System - A controllable parachute or automatic preprogrammed course of action used to terminate the flight.
1.8.3	Operator in Command - The individual or organization responsible for the function and safety of the UAV in flight.
1.8.4	Remote Control - Control of a UAV's attitude, altitude, airspeed, flight path, and navigation by a human being acting as pilot-in-command by means of a communications link from a remote UAV control station. This does not preclude the use of an autopilot for portions of the flight as long as the UAV control station is not left unattended.

CHAPTER 2

CLASSIFICATIONS

2.1	Class U: Unmanned Aerial Vehicle (UAV)
2.1.1	UAVs are classified according to method of control, weight, and type of propulsion as follows:
2.1.1.1	Control Classifications:
2.1.1.1.1	U-1: Remotely controlled UAV
2.1.1.1.2	U-2: Autonomously controlled UAV
2.1.1.1.3	U-3 Noncommercial Remotely controlled Drone
2.1.1.1.3	U-4 Noncommercial Autonomously controlled Drone
2.1.1.1.3	When an Unmanned Aerial Vehicle is equipped with both methods of control, it will be classified by the control method used during the flight from the start point to the finish point. If the UAV is remotely controlled at any time from the start point to the finish point, it will be classified as a remotely controlled UAV (U-1).
2.1.1.2	Weight Classifications:
	Classes U-3 and U-4 is only walled for 2.1.1.2.1 and 2.1.1.2.2 and subclasses
2.1.1.2.1	U-1.a and U-2.a Weight less than 5 kg
2.1.1.2.1.1	U-1.aa and U-2.aa Weight less than 1 kg
2.1.1.2.1.2	U-1.ab and U-2.ab Weight 1 kg to less than 2.2 kg
2.1.1.2.1.2	U-1.ac and U-2.ac Weight 2.2 kg to less than 5 kg
2.1.1.2.1.2	U-1.ac and U-2.ac Weight 5 kg to less than 7 kg
2.1.1.2.2	U-1.b and U-2.b Weight 5 kg to less than 50 <u>25</u> kg
2.1.1.2.3	U-1.c and U-2.c Weight 50 <u>25</u> kg to less than 500 kg
2.1.1.2.4	U-1.d and U-2.d Weight 500 kg to less than 2 <u>550</u> 000 kg
2.1.1.2.5	U-1.e and U-2.e Weight 2 <u>550</u> 000 kg to less than 5 <u>20</u> 000 kg
2.1.1.2.6	U-1.f and U-2.f Weight 5 000 kg to less than 10 000 kg
2.1.1.2.7	U-1.g and U-2.g Weight 10 000 kg to less than 20 000 kg
2.1.1.2.8	U-1.h and U-2.h Weight 20 000 kg to less than 40 000 kg
2.1.1.2.6	U-1.i and U-2.i Weight 40 <u>20</u> 000 kg or greater
2.1.1.2.7	The weight of the UAV at takeoff will be used to determine its weight classification.
2.1.1.3	Propulsion Classifications:
2.1.1.3.1	Group 1: Internal combustion and Jet
2.1.1.3.2	Group 2: Electric
2.1.1.3.3	Group 3: Rocket
2.1.1.3.4	When an Unmanned Aerial Vehicle has mixed propulsion, it will be classified in the group providing more than 50% of the propulsion (in terms of power) from the start point to the finish point.

CHAPTER 3

RECORDS IN CLASS U

3.1	Available Records
3.1.1	Records are available in Class U for distance, speed, duration, and altitude as follows:
3.1.1.1	Distance Records:
3.1.1.1.1	Distance in a Straight Line
3.1.1.1.2	Distance Over an Out and Return Course
3.1.1.2	Speed Records:
3.1.1.2.1	Speed Over a Straight Course of 0.5 to 25 Kilometers
3.1.1.2.1	Speed Over a Straight Course of 15 to 25 Kilometers
3.1.1.2.2	Speed Over an Out and Return Course of <u>0.5 to 10 000</u> Kilometers
3.1.1.2.3	Speed Over an Out and Return Course of 200 Kilometers
3.1.1.2.4	Speed Over an Out and Return Course of 500 Kilometers
3.1.1.2.5	Speed Over an Out and Return Course of 1 000 Kilometers
3.1.1.2.6	Speed Over an Out and Return Course of 2 000 Kilometers
3.1.1.2.7	Speed Over an Out and Return Course of 5 000 Kilometers
3.1.1.2.8	Speed Over an Out and Return Course of 10 000 Kilometers
3.1.1.3	Duration Records:
3.1.1.3.1	Duration <u>True Distance ore Continues time from start to landing</u>
3.1.1.3.2	Duration Beyond a Distance of 50 Kilometers
3.1.1.3.3	Duration Beyond a Distance of 100 Kilometers
3.1.1.3.4	Duration Beyond a Distance of 200 Kilometers
3.1.1.3.5	Duration Beyond a Distance of 500 Kilometers
3.1.1.3.6	Duration Beyond a Distance of 1 000 Kilometers
3.1.1.3.7	Duration Beyond a Distance of 2 000 Kilometers
3.1.1.3.8	Duration Beyond a Distance of 5 000 Kilometers
3.1.1.4	Altitude Record:
3.1.1.4.1	True Altitude
3.1.1.5	Duration Time
3.1.1.5.1	Continues time from start to landing
3.2	Absolute Records
3.2.1	The best records listed in 3.1.1.1, 3.1.1.2, 3.1.1.3, and 3.1.1.4 shall be considered as absolute records, regardless of control, weight, and propulsion classifications.
3.3	Holder of Records
3.3.1	The record will be held by the Operator in Command of the UAV.

CHAPTER 4

RULES FOR WORLD RECORDS

Formaterat: Vänster, Tabbstopp: 5,75 cm, Till vänster + 8 cm, Centrerad

4.1	Improvement in Consecutive Records
4.1.1	A new record must constitute an improvement over the preceding record of at least <u>least</u> : <ul style="list-style-type: none">- 13 % in distance records- 13 % in speed records- 13 % in duration records- 35 % in altitude records- <u>5% in duration time records</u>
4.2	Accuracy of Measurement
4.2.1	Measurements involved in a record claim shall be the subject of a detailed report on their accuracy certified by a qualified person or body approved by the NAC concerned.
4.2.2	Distance records (3.1.1): in the measurement of the record distance the error must not exceed 0.02%.
4.2.3	Speed records (3.1.2): in the measurement of the record speed the error must not exceed 0.25%.
4.2.4	Duration records (3.1.3): in the measurement of the record duration the error must not exceed 0.1%.
4.2.5	Altitude records (3.1.4): in the measurement of the record altitude the error must not exceed 1%.
4.3	Measuring Equipment
4.3.1	Unless FAI's CASI has determined otherwise, any measuring device previously used in any other FAI Air Sport or record may be used in support of record attempts under Class U.
4.4	Other Rules
4.4.1	All records in Class U shall be made without refueling in flight. Evidence must be provided that refueling did not occur at any time during the flight. Solar panels that are used to recharge batteries or provide power to electric engines shall not be considered as refueling for these purposes.
4.4.2	Start and finish points must be pre-declared in writing for all record attempts.
4.4.3	The UAV shall be weighed in its takeoff configuration prior to the record attempt.
4.4.4	Intermediate landings shall not be permitted during the record attempt.
4.4.5	A flight performance may not include more than one lap of a course.
4.4.6	The use of auxiliary propulsion specifically for the record attempt is prohibited. Only engines normally installed in the UAV may be used.

CHAPTER 5

SPECIAL RULES FOR WORLD RECORDS

5.1	Distance Records
5.1.1	Distance in a Straight Line
5.1.1.1	The course shall be declared in writing before takeoff.
5.1.1.2	Turn points are not allowed.
5.1.1.3	The flight performance will be the great circle distance between the start point and finish point.
5.1.2	Distance Over an Out and Return Course
5.1.2.1	The course shall be declared in writing before takeoff.
5.2	Speed Records
5.2.1	Speed Over a Straight Course of 15 to 25 Kilometers
5.2.1.1	The course shall be declared in writing before takeoff, and must be a minimum of 0.515 kilometers in length and a maximum of 25 kilometers in length. The controlling NAC must certify the length of the course prior to the record attempt.
5.2.1.2	The course shall have clear approaches at each end of at least 5 kilometers. The course and its approaches shall be clearly marked. The UAV must maintain level flight while over the course and its approaches, with a tolerance of 100 meters. The maximum altitude of the UAV at any time during the flight shall not exceed 2 000 meters above the altitude over which the course and its approaches is flown.
5.2.1.3	The UAV shall fly over the course at least once in each direction. The speed adopted shall be the average of the two speeds calculated to the nearest 1/100th of a kilometer per hour. If more than two runs are made during the same flight, any two consecutive runs may be selected to count with the condition that they have been accomplished in opposite directions. The two runs selected must have been achieved within a maximum elapsed time of 45 minutes.
5.2.2	Speed Over an Out and Return Course (course lengths of 0.5, to 100, 200, 500, 1 000, 2 000, 5 000 and 10 000 Kilometers <u>10 000 km</u>)
5.2.2.1	The course shall be declared in writing before takeoff.
5.2.2.2	The UAV shall fly level (with a tolerance of 100 meters) for a distance of 1 kilometer immediately preceding the crossing of the start line.
5.2.2.3	The altitude of the UAV at the finish line shall not be less than its altitude at the start line.

5.3	Duration Records
5.3.1	Duration
5.3.2	Duration Beyond a Distance (of <u>0.5 1</u> 50, 100, 200, 500, 1 000, 2 000, and 5 000 Kilometers)
5.3.2.1	The course and control area shall be declared in writing before takeoff.
5.3.2.2	The control area shall be a circular area with the following maximum radius <u>for attempts in a shorter distance than 5 km the course shall be in the VLOS:</u>
5.3.2.2.1	Duration Beyond a Distance of 50 Km <u>1000 km:</u> <u>5-10%Km</u> radius
5.3.2.2.2	Duration Beyond a Distance of 100 Km: 10 Km radius
5.3.2.2.3	Duration Beyond a Distance of 200 Km: 20 Km radius
5.3.2.2.4	Duration Beyond a Distance of 500 Km: 50 Km radius
5.3.2.2.5	Duration Beyond a Distance of 1 000 Km: 100 Km radius
5.3.2.2.2	Duration Beyond a Distance of 2 000 Km <u>and over:</u> 125 Km radius
5.3.2.2.7	Duration Beyond a Distance of 5 000 Km: 125 Km radius
5.3.2.3	The entire control area shall be located beyond the specified distance.
5.3.2.4	The flight performance shall be the total time spent completely within the control area. Timing commences when the UAV enters the control area and ceases any time it leaves the control area. The UAV may leave the control area for collision avoidance or weather avoidance purposes.
5.3.2.5	The UAV must return to the takeoff point after completing the flight performance.
5.4	Altitude Records
5.4.1	True Altitude
5.4.2	The altitude achieved shall be the true altitude measured from sea level as defined in the relevant country by the national survey.
5.4.3	The start point must be at an altitude of less than 500 meters above ground level.
5.5	Duration Time
5.4.1	True Time without re filling of fuel
5.4.2	The time achieved shall be the true time measured by data logging.

CHAPTER 6

RECORD FILE

6.1	Claims
6.1.1	Notice of a preliminary claim for a record must be received by FAI within 7 days of its completion as an attempt (General Section 6.8.4).
6.1.2	A record attempt must be certified by the organizing NAC as a National Record within 90 days of the attempt (General Section 6.8.1).
6.1.3	The file containing all the information and certification necessary to prove that the conditions have been met in support of the record claim must be received by FAI within 120 days of the attempt (General Section 6.8.2).
6.1.4	FAI can request additional evidence or clarification in support of a record claim.
6.2	Certification
6.2.1	Each record file shall contain all flight certificates necessary to establish full details of the record. The certificates found in Annex 3 of the Sporting Code, Section 2, shall be used.
6.2.2	All certificates must be signed or countersigned by the official(s) controlling the record attempt and must be accompanied by the necessary evidence (when appropriate).